

Invitro Study of The resistance of three different fiber - posts to Fracture

Noorbakhsh M¹ Balooch F² Fattahi P³

1- Assistant Prof Of Fixed Prosthodontics Dept._ Islamic Azad University- Dental branch

2- Faculty member Of Fixed Prosthodontics Dept._ Islamic Azad University- Dental branch

3-Dentist

Abstract:

Background and Aim: Posts are used as retention mechanism in repairing fractured or missing crowns of teeth. Nowadays composite fiber postes have eliminated most disadvantages of prefabricated metal and casting posts. the purpose of this study is to compare the amount of fracture resistance in three fiber posts (carbon fiber ,quartz fiber,glass fiber) while shearing force (perpendicular to long axis) is applied.

Materials and Methods: This invitro, experimental study was performed on 30 maxillary Incisors with the same size without fracture, dentin caries or any root problems they were in three groups randomly. (Carbon fiber, quartz fiber,glass fiber) After root canal treatment and post space preparation with specified drill, samples were carried under universal test machine (prinston) to evaluate the amount of fracture resistance Data was analyzed with Kruskall-wallis Test under spss13.

Results: There was significant difference in fracture resistance in all three groups. (P=0.001).Also, the carbon fiber posts had the maximum & the glass fiber posts had the minimum amount of fracture resistance.

Conclusion: since the carbon fiber posts have the maximum fracture resistance in comparison with other groups, their application in anterior teeth is preferred.

Keywords: carbon fiber, glass fiber, Quartz fiber, Shwaring force, resistance to fracture.

Manuscript submitted: March 2009, Revised and acceptance: Sep 2010

*Corresponding Author: Balooch F: Fixed prothesis Dept , No 177,5th Golestan,Pasdaran,Tehran .
Tel: 021-2252238 E-mail: drfbalouch@gmail.com*

